

Contents

Foreword	v
Professeur Jacques Durand	vii
9. MAGNETISM	
The impact of amorphous metals on the field of soft magnetic materials	1
H. Warlimont (Stuttgart, F.R.G.)	
Rare-earth-iron-boron permanent magnets by rapid solidification processing	11
J. J. Croat (Anderson, IN, U.S.A.)	
Effects of magnetostriction in amorphous ferromagnets	13
H. T. Savage and C. Adler (Silver Spring, MD, U.S.A.)	
A new design for amorphous core distribution transformer	19
R. Schulz, N. Chretien, N. Alexandrov, J. Aubin and R. Roberge (Varennnes, Canada)	
Synthesis and magnetic properties of iron nitride thin films by double ion beam sputtering	23
M. Nagakubo and N. Naoe (Tokyo, Japan)	
Fast dissipative and diffusional relaxation of the magnetic permeability in ferromagnetic metallic glasses	27
P. Allia, C. Beatrice and F. Vinai (Turin, Italy)	
Structural changes of amorphous $\text{Fe}_{1-x}\text{C}_x$ alloys at $x \approx 0.32$	31
E. Bauer-Grosse and G. Le Caer (Nancy, France)	
Specific heat behaviour on soft magnetic thick amorphous ribbons of an Fe-B-Si alloy	35
J. Zhang, H. Fujimori, A. Inoue and T. Masumoto (Sendai, Japan)	
The influence of the substitution of metallic elements on the thermal stability and magnetic properties of amorphous Fe-B-Si alloys	39
F. Schwartz (Evry, France) and J. Bigot (Vitry-sur-Seine, France)	
Magnetic phase transition in amorphous Fe-Ni-B and Fe-B-Si alloys	43
G. Ilonca (Cluj-Napoca, Romania) and V. Florescu (Bucharest, Romania)	
Mössbauer studies of amorphous FeB and FeBSi alloys	47
M. Taniwaki and M. Maeda (Sapporo, Japan)	
Magnetic properties of amorphous FeCo-SiB alloys annealed in rotating magnetic field	53
O. Kohmoto, H. Fujishima and K. Shibata (Ichikawa, Japan)	
Soft magnetic properties of microcrystalline Co-Fe-Si-B alloys prepared by sputtering	57
F. W. A. Dirne, M. Broucha, C. H. M. Witmer and J. L. C. Daams (Eindhoven, The Netherlands)	
Magnetic energy density and friction factor in magnetic amorphous ribbons	61
L. F. Magaña and R. Valenzuela (Mexico, Mexico)	
Local evidence for re-entrant magnetic behaviour in amorphous $\text{Fe}_{90}\text{Zr}_{10}$ alloys	65
M. Ghafari, W. Keune, R. A. Brand (Duisburg, F.R.G.), R. K. Day and J. B. Dunlop (Sydney, Australia)	
Magnetic ordering behavior of rare-earth-substituted Fe-Zr amorphous alloys	69
G. K. Nicolaides, W. Gong, G. C. Hadjipanayis (Manhattan, KS, U.S.A.) and K. V. Rao (Stockholm, Sweden)	
Production and properties of melt-spun Fe-6.5wt.%Si ribbons	73
Y. Sato, T. Sato and Y. Okazaki (Kawasaki, Japan)	
Magnetization of amorphous and crystalline Co-Si-B alloys	77
T. Kulik, H. Matyja and B. Lisowski (Warsaw, Poland)	
Magnetic anisotropy and process parameters in a nearly zero-magnetostriction metallic glass $\text{Fe}_{4.5}\text{Co}_{66}\text{Ni}_{3.5}\text{Nb}_2\text{Cr}_1\text{B}_{14}\text{Si}_{19}$	81
C. Hargitai, C. Kopasz, S. Nemeth and B. Albert (Budapest, Hungary)	
Investigation of the magnetic stability of cobalt-based as-quenched amorphous alloys	87
K.-Y. Ho, X. Lu and Q.-X. Ba (Shenyang, China)	
Microstructure and soft magnetic properties of rapidly solidified Fe-Al alloys	91
T. Naohara, K. Shinohara (Matsuyama, Japan), A. Inoue, T. Masumoto (Sendai, Japan) and T. Nakamura (Tokyo, Japan)	
Magnetic properties of cobalt-rich amorphous alloys for saturable cores	95
K. Yamuchi, Y. Yoshizawa and S. Nakajima (Saitama, Japan)	
Effects of surface crystallization on the magnetic properties in iron-rich metallic glasses	101
H. R. Hilzinger and G. Herzer (Hanau, F.R.G.)	
Preparation and magnetic properties of Co-Gd amorphous alloy films by the electroplating method	105
N. Usuzaka, H. Yamaguchi and T. Watanabe (Tokyo, Japan)	

Compositional dependence of magnetostriction of amorphous Co-Fe-B and Co-Ni-B alloys	109
G. Vlasak, M. Jergel and P. Duhaj (Bratislava, Czechoslovakia)	
Magnetic properties of amorphous Gd_4Fe_3 and Y_4Fe_3 alloys	113
V. Skumryev, A. Apostolov, L. Bozukov, M. Mikhov and H. Sassik (Sofia, Bulgaria)	
Magnetic stability of water-quenched cobalt-based amorphous alloy	119
H. Zhenghe, W. Xinlin and K. Cheng (Beijing, China)	
The comparative performance of Nd-(Fe, Co)-B magnets formed by rapid quenching and by sintering	123
Z.-X. Wang, B.-L. Yu, Y.-Z. Wang, J.-H. Huang, L. Yin and M.-Y. Feng (Beijing, China)	
Hard magnetic properties of Nd-Fe-B formed by mechanical alloying and solid state reaction	127
L. Schultz and J. Wecker (Erlangen, F.R.G.)	
Preferential crystallite orientation in melt spun Nd-Fe-B permanent magnet materials	131
R. Coehoorn and J. Duchateau (Eindhoven, The Netherlands)	
Magnetic hardening in melt-spun Fe-R-B alloys	137
C. J. Yang, R. Ray (North Billerica, MA, U.S.A.) and R. C. O'Handley (Cambridge, MA, U.S.A.)	
Influence of quench rate and hydrogen absorption on the magnetic properties of melt-spun $Nd_{15}Fe_{77}B_8$	143
J. M. Cadogan, D. H. Ryan and J. M. D. Coey (Dublin, Ireland)	
Crystallite size determinations for melt-spun Fe-Nd-B permanent magnet alloys	147
G. E. Carr, H. A. Davies and R. A. Buckley (Sheffield, U.K.)	
Microstructure studies in $Nd_2(Fe_{0.9}Co_{0.1})_{14}B$ thin films	153
J. Strzeszewski, A. Nazareth, G. C. Hadjipanayis (Manhattan, KS, U.S.A.), K. Aylesworth, Z. R. Zhao and D. J. Sellmyer (Lincoln, NE, U.S.A.)	
Magnetic and thermal properties of $(Nd_xFe_{1-x})_{82.5}B_{17.5}$ glasses	157
Z. Altounian and D. H. Ryan (Montreal, Canada)	
Magnetic behaviour in amorphous Tb_xCu_{1-x} alloys ($x = 0.18, 0.22, 0.33, 0.50$ and 0.65)	161
B. Boucher, M. Sanquer, R. Tourbot (Gif-sur-Yvette, France), P. Chieux, P. Convert, M. Maret (Grenoble, France) and J. Bigot (Vitry-sur-Seine, France)	
10. ELECTRICAL PROPERTIES	
Electron transport properties of non-magnetic metallic glasses	165
U. Mizutani (Nagoya, Japan)	
Superconductivity in 3d series amorphous transition metal alloys	175
P. Watson, B. Bandyopadhyay, Y. Bo, D. Rathnayaka and D. G. Naugle (College Station, TX, U.S.A.)	
Electronic transport properties of glassy Fe-Sc alloys	179
T. Zingg, T. Richmond, G. Leemann, H. Jenny, H. Bretscher and H.-J. Güntherodt (Basel, Switzerland)	
Quantum corrections to the conductivity in $Mg_{70}Cu_{30-x}Au_x$, $x = 0, 1, 3, 9$, and $Mg_{70}Zn_{30-x}Au_x$, $x = 0, 3$	183
R. Richter, D. V. Baxter and J. O. Strom-Olsen (Montreal, Canada)	
The hall effect in paramagnetic Co-Zr metallic glasses	187
M. L. Trudeau, R. W. Cochrane and J. Destry (Montreal, Canada)	
Electronic properties and localization effects in some hydrogen-doped 4d-3d metallic glasses	191
P. Dubcek, I. Kokanovic, B. Leontic and J. Lukatela (Zagreb, Yugoslavia)	
Dependence of T_c on the cooling conditions for liquid-quenched Al5 chemical compounds	195
Y. Nishi, S. Tokunaga, H. Harano, A. Hara, Y. Tachiya, N. Ninomiya, M. Kawakami and E. Yajima (Hiratsuka, Japan)	
Superconductivity in crystalline and amorphous Nb-Zr thin films	201
A. Cavalleri, M. Dapor, F. Giacomozzi, L. Guzman (Povo, Italy), P. M. Ossi (Milan, Italy) and M. Scotoni (Trento, Italy)	
Electrical resistivity of Fe-Cr- and Ni-Cr-based amorphous alloys	207
D. F. Jones, G. Stroink, Z. M. Stadnik and R. A. Dunlap (Halifax, Canada)	
Temperature dependence of longitudinal magnetoresistance in amorphous Fe-Cr-Si-B alloys	211
G. Chandra, A. K. Nigam, V. Srinivas, S. Prasad, S. N. Shringi (Bombay, India) R. Krishnan (Bellevue, France) and G. Rajaram (Hyderabad, India)	
The scattering mechanism of resistivity in amorphous $Fe_{90-x}Co_xZr_{10}$ alloys	215
J.-C. Chen, Z.-X. Wang, W.-S. Zhan, J.-G. Zhao, B.-G. Shen, X.-N. Zheng (Beijing, China) and Q.-H. Chen (Yunnan, China)	
Electron transport in Co-evaporated thin film and melt-spun ribbon $Al_{1-x}Mn_x$ alloys	219
V. Nguyen Van, S. Fisson (Paris, France), K. Yu-Zhang and M. Harmelin (Vitry, France)	
Scattering mechanisms and transport properties of iron-transition metal boron amorphous alloys	223
B. Sas, T. Kemény, J. Tóth and F. I. B. Williams (Budapest, Hungary)	
The behaviour of electrical resistivity in amorphous $Co_{100-x}B_x$ alloys	227
F.-X. Li, F. Li, G.-H. Tu and W.-R. Chen (Gansu, China)	

Low-temperature thermal and electrical resistivity in a Pd-Cu-Si metallic glass	231
D. M. Herlach (Köln, F.R.G.), A. B. Kaiser (Stuttgart, F.R.G.) and J. Kästner (Aachen, F.R.G.)	
Intermediate temperature range electrical resistivity of some metallic glasses	235
P. Lindqvist, P. Petrovic, Z.-Y. Liu and Ö. Rapp (Stockholm, Sweden)	
Photoelectron spectroscopy of metallic glasses: bulk, interface and surface properties	239
P. Oelhafen (Basel, Switzerland)	
Electronic structure of amorphous transition metal alloys	245
F. Cyrot-Lackmann, D. Mayou and D. Nguyen Manh (Grenoble, France)	
Electronic structure of hydrogenated amorphous Ni-Zr alloys	253
R. Zehringer, P. Oelhafen, H.-J. Güntherodt (Basle, Switzerland), Y. Yamada and U. Mizutani (Nagoya, Japan)	
Comparison of amorphous and liquid alloys by photoelectron spectroscopy	257
G. Indlekofer, A. Pflugi, P. Oelhafen, H.-J. Güntherodt (Basel, Switzerland), P. Häussler, H.-G. Boyen and F. Baumann (Karlsruhe, F.R.G.)	
On many-electron effects and multiplet splittings in X-ray photoelectron spectroscopy as a diagnostic tool for metallic glasses ..	261
Z. M. Stadnik (Halifax, Canada), J. F. van Acker, J. C. Fuggle (Nijmegen, The Netherlands), H. J. W. M. Hoekstra (Groningen, The Netherlands), K. H. J. Buschow (Eindhoven, The Netherlands), T. Miyazakai (Sendai, Japan) and G. Stroink (Halifax, Canada)	
Photoemission studies on metallic glasses using synchrotron radiation	265
D. Greig (Leeds, U.K.), B. L. Gallagher (Nottingham, U.K.), M. A. Howson (Leeds, U.K.), D. S.-L. Law, D. Norman and F. M. Quinn (Warrington, U.K.)	
Electronic structure and local environment of non-transition elements in ternary metallic glasses	269
K. Tanaka, N. Shibagaki and T. Yamauchi (Nagoya, Japan)	
Electronic properties of glassy metallic alloys	273
H. Ostermeier and U. Krey (Regensburg, F.R.G.)	
X-ray photoelectron spectroscopy on amorphous $\text{Cu}_x\text{Te}_{100-x}$ and $\text{Ni}_x\text{Te}_{100-x}$	277
A. J. Brunner, P. Oelhafen and H.-J. Güntherodt (Basel, Switzerland)	
Spectroscopic ellipsometry of amorphous $\text{Ni}_{0.95}\text{Tb}_{0.05}$ and crystalline nickel	281
B.-Y. Yang, K. Vedam, P. Klosowski and J. S. Lannin (University Park, PA, U.S.A.)	
Local structure and stability of amorphous Cu-Fe-Zr alloys	285
M. Taniwake, E. Hatta and M. Maeda (Sapporo, Japan)	
Electronic structure of $(\text{Ni}_{33}\text{Zr}_{67})_{1-x}\text{X}_x$ ($\text{X} \equiv \text{Ti, V, Cr, Mn, Fe, Co, Ni or Cu}$) ternary metallic glasses studied by low temperature specific heat measurements	289
Y. Yamada, Y. Itoh and U. Mizutani (Nagoya, Japan)	
Electronic structure and electron transport in Ca-Mg-Cu metallic glasses	295
U. Mizutani, M. Sasaura (Nagoya, Japan), V. L. Moruzzi (Yorktown Heights, NY, U.S.A.) and T. Matsuda (Aichi-ken, Japan)	
Magnetic susceptibility and ^{31}P nuclear magnetic resonance study of the electronic structure of amorphous and crystalline Ni-Cu-P alloys	301
I. Bakonyi, H. Ebert, W. Socher, J. Voithländer (Munich, F.R.G.), I. Furó, P. Bánki, A. Lovas (Budapest, Hungary) and U. Mizutani (Nagoya, Japan)	
High resolution solid state nuclear magnetic resonance study of the electronic structure of rapidly quenched alloys	305
I. Furó, I. Bakonyi, K. Tompa, A. Lovas (Budapest, Hungary), I. Heinmaa, M. Alla, E. Lippmaa (Tallin, U.S.S.R.) and H. E. Schone (Williamsburg, VA, U.S.A.)	
The influence of hydrostatic pressure on the superconducting transition temperature and critical field in the amorphous binary metallic alloys M-Zr ($\text{M} \equiv \text{Fe, Co or Ni}$)	309
M. El Amrani, J. Destry and R. W. Cochrane (Montreal, Canada)	
Optical reflectivity of glassy Pd-U-Si alloys	311
R. Lapka, G. Leemann and H.-J. Güntherodt (Basel, Switzerland)	
Electronic structure of $(\text{Ni}_{33}\text{Zr}_{67})_{85}\text{X}_{15}$ ($\text{X} \equiv \text{Ti, V, Cr, Mn, Fe, Co and Cu}$) metallic glasses studied by photoelectron spectroscopy	317
R. Zehringer, P. Oelhafen, H.-J. Güntherodt (Basle, Switzerland), Y. Yamada and U. Mizutani (Nagoya, Japan)	
11. QUASICRYSTALS	
The discovery of quasicrystals through rapid quenching of metallic alloys	321
J. W. Cahn (Gaithersburg, MD, U.S.A.)	
Atomic structure of quasicrystals	323
T. Egami (Philadelphia, PA, U.S.A.) and S. J. Poon (Charlottesville, VA, U.S.A.)	
Quasicrystals and quasicrystal-related phases in the Al-Mn system	331
L. A. Bendersky (Gaithersburg, MD, U.S.A.)	
Quasi-crystals studied with convergent beam electron diffraction	335
S. Last, P. M. Bronsveld, G. Boom and J. Th. M. de Hosson (Groningen, The Netherlands)	

The configurational entropy of two-dimensional random Penrose tilings	339
L. C. Chen and F. Spaepen (Cambridge, MA, U.S.A.)	
Structure of quasi-crystalline Al-Mn-Ru: X-ray and neutron studies	345
W. Dmowski, T. Egami, P. A. Bancel, P. A. Heiney (Philadelphia, PA, U.S.A.), D. V. Baxter (Montreal, Canada) and J. A. Leake (Cambridge, U.K.)	
Local icosahedral packing energetics for d-band metals	349
R. B. Phillips and A. E. Carlsson (St. Louis, MO, U.S.A.)	
Electronic properties and resonant states in Al-Mn(Si) alloys	353
C. Berger, D. Pavuna, F. Cyrot-Lackmann and M. Cyrot (Grenoble, France)	
Physical properties of icosahedral and glassy Pd-U-Si alloys	357
P. Grütter, H. Bretscher, G. Indlekofer, H. Jenny, R. Lapka, P. Oelhafen, R. Wiesendanger, T. Zingg, H.-J. Güntherodt (Basel, Switzerland) and J.-B. Suck (Karlsruhe, F.R.G.)	
Electronic structure of quasi-crystalline AlMn in comparison with amorphous and crystalline alloys	361
J. M. Frigerio, A. Meddour (Paris, France), A. Perez, M. G. Blanchin, J. P. Dupin and J. Rivory (Villeurbanne, France)	
Metastable phase boundaries of quasicrystalline phases	367
D. M. Follstaedt and J. A. Knapp (Albuquerque, NM, U.S.A.)	
Electronic structure of quasi-crystals	377
M. E. McHenry and R. C. O'Handley (Cambridge, MA, U.S.A.)	
Thermal stability of the icosahedral phase in Al-Mn (Mn = 4-15 at.%) alloys prepared by planar flow casting	385
K. Yu-Zhang, M. Harmelin, A. Quivy, Y. Calvayrac, J. Bigot and R. Portier (Vitry-sur-Seine, France)	
Crystallization of the Al-Mn icosahedral phase	389
K. F. Kelton and J. C. Holzer (St. Louis, MO, U.S.A.)	
An electron-microscopic investigation of the transformation behaviour of Al ₆ Mg ₄ Cu quasi-crystalline alloy	393
V. Venkateswara Rao and T. R. Anantharaman (Varanasi, India)	
Crystallization of icosahedral Al-Mn-Si	399
D. V. Baxter (Montreal, Canada), R. Schulz (Varennes, Canada), G. J. C. Carpenter (Ottawa, Canada) and J. O. Strom-Olsen (Montreal, Canada)	
High pressure structural study of quasicrystalline Al-Mn	403
E. Johnson, J. Staun Olsen (Copenhagen, Denmark), J. V. Wood (Milton Keynes, U.K.) and L. Gerward (Lyngby, Denmark)	
Stability of quasicrystalline phases in Al-Fe-V alloys	407
D. J. Skinner, V. R. Ramanan, M. S. Zedalis and N. J. Kim (Morristown, NJ, U.S.A.)	
High pressure induced crystallization of rapidly solidified Al-Fe and Al-Mn quasi-crystalline alloys	413
E. S. R. Gopal, S. Baranidharan (Bangalore, India) and J. A. Sekhar (Hyderabad, India)	
Peritectoid transformation of quasi-crystals in Al-Mn alloys	417
U. Köster and B. Schuhmacher (Dortmund, F.R.G.)	
The structure of icosahedral Al-Mg-Cu alloy	423
Y. Sakurai, C. Kokubu, Y. Tanaka, Y. Watanabe, M. Masuda and S. Nanao (Tokyo, Japan)	
Pair distribution function in icosahedral Al-Mn-Si alloy	427
S. Nanao, Y. Tanaka, Y. Sakurai, C. Kokubu, Y. Watanabe, M. Masuda and I. Yasui (Tokyo, Japan)	
Preparation and structural investigation by X-ray and neutron scattering of quasi-crystalline and glassy Pd _{58.8} Si _{20.6} U _{20.6}	431
R. Fuchs, S. Jost, H. Rudin, H.-J. Güntherodt (Basel, Switzerland) and P. Fischer (Würenlingen, Switzerland)	
Preparation and electrical properties of aluminium-based ternary and quaternary quasi-crystals	435
K. Kimura, H. Yamane, T. Hashimoto and S. Takeuchi (Tokyo, Japan)	
Low temperature calorimetric and magnetic properties of Al-Mn and Al-Mn-Si quasi-crystals	439
J. C. Lasjaunias, C. Paulsen, M. Godinho, C. Berger and D. Pavuna (Grenoble, France)	
Growth of quasi-crystals	443
S. R. Nishitani, K. N. Ishihara, K. F. Kobayashi and P. H. Shingu (Kyoto, Japan)	
New quasi-crystalline and amorphous phases in rapidly quenched Al-Ge-(Cr, Mn) and Al-Si-(Cr, Mn) alloys with high metalloid concentrations	449
H. M. Kimura, A. Inoue, Y. Bizen, T. Masumoto (Sendai, Japan) and H. S. Chen (Murray Hill, NJ, U.S.A.)	
Influence of the quenching conditions on the formation of the icosahedral phase in Al Mn alloys	453
J. Bigot, K. Yu-Zhang and M. Harmelin (Vitry-sur-Seine, France)	
12. CHEMICAL PROPERTIES	
Hydrogen in amorphous and nanocrystalline metals	457
R. Kirchheim, T. Mütschele, W. Kieninger (Stuttgart, F.R.G.), H. Gleiter, R. Birringer and T. D. Koble (Saarbrücken, F.R.G.)	
Thermodynamics of H in amorphous alloys: a lattice-gas model	463
W. A. Curtin and J. H. Harris (Cleveland, OH, U.S.A.)	

Solid-state reaction and electrocatalytic activity of rapidly quenched $Zr_{50}Co_{30}Ni_{20}$ alloys.....	469
R. Schulz, A. van Neste, L. Brossard and J. Y. Huot (Varennnes, Canada)	
Chemical properties and applications of some amorphous alloys.....	475
K. Asami, A. Kawashima and K. Hashimoto (Sendai, Japan)	
Corrosion resistance and passive layer formation in amorphous binary Cr alloys.....	483
M. Tenhover, G. A. Shrever and R. S. Henderson (Warrensville Heights, OH, U.S.A.)	
Laser and electron beam processing of electrodes consisting of amorphous nickel-valve metal-platinum group metal surface alloys on valve metals.....	489
N. Kumagai, Y. Samata, S. Jikihara (Chiba, Japan), A. Kawashima, K. Asami and K. Hashimoto (Sendai, Japan)	
Improved corrosion resistance of rapidly solidified Fe-Al bronzes.....	493
L. E. Collins and V. Mitrovic-Scepanovic (Ottawa, Canada)	
The oxidation behavior of amorphous and polycrystalline Zr-Ni alloys.....	497
D. L. Cocke, G. Liang, M. Owens, D. E. Halverson and D. G. Naugle (College Station, TX, U.S.A.)	
Investigation of the microstructure of an $Fe_{91}Zr_9$ catalyst prepared from the amorphous alloy.....	501
B. Walz, R. Wiesendanger, L. Rosenthaler, H. J. Güntherodt, M. Düggelin and R. Guggenheim (Basel, Switzerland)	
Corrosion behavior of rapidly solidified Mg-Nd and Mg-Y alloys.....	507
S. Krishnamurthy (Wright-Patterson Air Force Base, OH, U.S.A.), M. Khobaib (Dayton, OH, U.S.A.), E. Robertson and F. H. Froes (Wright-Patterson Air Force Base, OH, U.S.A.)	
Segregation and structural effects of boron in rapidly solidified copper-boron alloys.....	513
R. Cookey, J. V. Wood (Milton Keynes, U.K.), E. Johnson O. Henriksen, A. Johansen and L. Sarholt-Kristensen (Copenhagen, Denmark)	
Electrochemical behaviour of Cu-Ti glassy alloys.....	517
G. Jorge, R. Faure, R. Durand and A. R. Yavari (Saint-Martin-d'Heres, France)	
Amorphous alloy catalysts for electro-oxidation of methanol and its derivatives in a sulphuric acid solution.....	521
A. Kawashima (Sendai, Japan), T. Kanda (Kyoto, Japan) and K. Hashimoto (Sendai, Japan)	
Electrochemistry of chromium-base binary metallic glasses.....	525
T. P. Moffat, R. M. Latanision (Cambridge, MA, U.S.A.) and R. R. Ruf (Yorktown Heights, NY, U.S.A.)	
Behaviour of Fe-Cr-P-C amorphous alloys in an alkaline medium: elementary composition of superficial layers and electrochemical characterization of alloy solution interface.....	529
O. de Bouvier, B. de Guillebon (Pont-à-Mousson, France) and J. J. Rameau (Saint-Martin-d'Hères, France)	
The oxidation behaviour of some cobalt-based amorphous alloys.....	533
A. M. Dark, G. Wei and B. Cantor (Oxford, U.K.)	
Hydrogen in some Pd-Si-based amorphous alloys and in the crystallized states.....	539
K. Baba and Y. Sakamoto (Nagasaki, Japan)	
Properties of as-quenched and hydrogenated Cu-Fe-Ti alloys.....	543
R. A. Dunlap, G. Stroink, Z. M. Stadnik and K. Dini (Halifax, Canada)	
Decomposition of formic acid on $Fe_{80}B_{20}$ metallic glasses.....	547
G. Kisfaludi, K. Matusek, Z. Schay, L. Gucci and A. Lovas (Budapest, Hungary)	
Simulation of the influence of hydrogen on the structural properties of amorphous iron.....	551
N. A. Vatolin, V. A. Polukhin, R. M. Belyakova and E. A. Pastukhov (Sverdlovsk, U.S.S.R.)	
AUTHOR INDEX.....	555
SUBJECT INDEX.....	557

